

Aladdin Steel, LLC

Steel Tubing and Pipe

STOCK LIST



**TELESCOPIC
SIZES**

TO OUR CUSTOMERS

Aladdin Steel, LLC **Carbon Steel Tubing & Pipe**

We would like to thank our loyal customers for their continued business and invite newcomers to experience the service and selection upon which we pride ourselves at Aladdin Steel.

Aladdin stocks one of the largest and most diversified inventories of steel tubing and pipe available in the United States. While we are big enough to satisfy mill requirements out of inventory, we are responsive to every customer order, whether a small order or a truckload.

To satisfy your requirements, we stock custom sizes, carry a full selection of galvanized pipe, as well as aluminized and galvanized tubing, provide cutting and deburring services, and are responsive to special needs.

Most important, we provide fast and expedient service. Aladdin Steel has over 200,000 square feet of inside storage. We now stock more than 2,000 sizes of steel tubing and pipe, including hard to find telescopic sizes.

Our sales representatives all have extensive experience in the carbon steel tube and pipe industry. Contact our offices in Illinois or Missouri to utilize the expertise they can offer. They can help you with pricing information, answer any questions you may have about tubing and pipe, and tell you about the many services we provide for our customers.

Again, thank you for your business. We look forward to continuing to serve you in the years to come.

Aladdin Steel, LLC



Location:
Gillespie, Illinois

CONTENTS

DOM and Seamless Steel Tubing	1-8
Galvanized & Aluminized Steel Tubing	9-10
Galvanized Poultry Tubing and Conduit	11-12
Round Electric Welded Steel Tubing, Galvanized & Aluminized	13-16
Square Steel Tubing	17-18
Rectangular Steel Tubing	19-20
Steel Pipe	21-22
Meet Our Sales Staff	23-25
Conversion Charts & Tables	26
Custom Cutting	27-28



N
A
S
P
D

Aladdin Steel, LLC
Carbon Steel Tubing & Pipe



**We're Here To Serve Your Steel Tubing Needs.
Call Us TOLL FREE In The U.S. and Canada**

CORPORATE OFFICE:

18743 Route 16
Gillespie, IL 62033

Ph: (800) 637-4455
(217) 839-2121
Fax: (217) 839-3823

ST. LOUIS OFFICE:

Ph: (888) 215-9337
Fax: (636) 273-6072

CHICAGO OFFICE:

PH: (888) 637-2954
Fax: (872) 268-8001

www.aladdinsteel.com

We have 2000 items in our inventory and more sizes than are currently shown in our catalog. Many of these sizes are rare and unique within the industry. If you are having difficulty finding a size, contact one of our sales representatives. There is a good possibility we may have what you need.

DOM AND SEAMLESS STEEL TUBING

ASTM A513 -Type 5 ASTM A519

O.D. Wall I.D. Wt./Ft.

3/8" (.375")

.035	.305	0.127
.049	.277	0.171
.058	.259	0.196
.065	.245	0.215
.083	.209	0.259

7/16" (.438")

.049	.340	0.204
.058	.322	0.235
.065	.308	0.259
.083	.271	0.315
.095	.248	0.348
.109	.220	0.383

1/2" (.500")

.035	.430	0.174
.049	.402	0.236
.058	.384	0.274
.065	.370	0.302
.083	.334	0.370
.095	.310	0.411
.109	.282	0.455
.120	.260	0.487
.125	.250	0.506

9/16" (.563")

.065	.433	0.346
.083	.397	0.425
.095	.373	0.475
.109	.345	0.528
.120	.323	0.568

O.D. Wall I.D. Wt./Ft.

5/8" (.625")

.035	.555	0.221
.049	.527	0.301
.058	.509	0.351
.065	.495	0.389
.083	.459	0.480
.095	.435	0.538
.109	.407	0.601
.120	.385	0.647
.125	.375	0.668
.134	.357	0.703
.156	.313	0.781

11/16" (.688")

.049	.589	0.334
.065	.558	0.432
.083	.522	0.536
.095	.498	0.601
.109	.470	0.674
.120	.448	0.728
.125	.438	0.752
.134	.419	0.793

3/4" (.750")

.049	.652	0.367
.058	.634	0.429
.065	.620	0.476
.083	.584	0.591
.095	.560	0.665
.109	.532	0.746
.116	.518	0.786
.120	.510	0.807
.125	.500	0.835
.134	.482	0.882
.156	.438	0.990
.172	.406	1.063
.180	.390	1.097
.188	.375	1.128
.203	.344	1.185
.219	.312	1.242
.250	.250	1.335

13/16" (.813")

.065	.683	0.519
.083	.647	0.648
.109	.595	0.819
.120	.573	0.889
.125	.563	0.919
.156	.501	1.095

O.D. Wall I.D. Wt./Ft.

7/8" (.875")

.049	.777	0.433
.058	.759	0.506
.065	.745	0.563
.083	.709	0.703
.095	.685	0.792
.109	.657	0.893
.120	.635	0.969
.125	.625	1.002
.134	.607	1.061
.156	.563	1.199
.180	.515	1.337
.185	.505	1.363
.188	.500	1.381
.219	.437	1.536
.250	.375	1.670

15/16" (.938")

.065	.808	0.606
.083	.772	0.759
.095	.748	0.856
.109	.720	0.966
.120	.698	1.049
.134	.670	1.152
.156	.625	1.304
.188	.563	1.506

.995"

.120	.755	1.121
.180	.635	1.567



O.D.	Wall	I.D.	Wt./Ft.
1" (1.000")			
.049		.902	0.498
.058		.884	0.584
.065		.884	0.584
.065		.870	0.649
.072		.856	0.714
.083		.834	0.813
.095		.810	0.918
.109		.782	1.037
.120		.760	1.128
.125		.750	1.169
.134		.732	1.239
.156		.688	1.406
.165		.670	1.473
.172		.656	1.522
.180		.640	1.576
.188		.625	1.630
.219		.562	1.827
.235		.531	1.920
.238		.524	1.937
.245		.510	1.976
.250		.500	2.003
.281		.438	2.160
.313		.375	2.297
.375		.250	2.503

O.D.	Wall	I.D.	Wt./Ft.
1.050"			
.180		.690	1.674

O.D.	Wall	I.D.	Wt./Ft.
1-1/16" (1.063")			
.065		.933	0.693
.083		.897	0.869
.095		.873	0.983
.109		.845	1.112
.120		.823	1.210
.125		.813	1.253
.134		.795	1.331
.156		.750	1.513
.188		.688	1.759
.219		.625	1.976
.238		.587	2.099
.250		.563	2.171
.281		.500	2.347
.313		.438	2.509
.375		.313	2.755

O.D.	Wall	I.D.	Wt./Ft.
1-1/8" (1.125")			
.065		.995	0.736
.083		.959	0.924
.095		.935	1.045
.109		.907	1.183
.118		.890	1.269
.120		.885	1.288
.125		.875	1.335
.134		.857	1.418
.156		.813	1.614
.172		.781	1.751
.180		.765	1.817
.188		.750	1.881
.219		.687	2.119
.238		.649	2.255
.250		.625	2.336
.281		.563	2.533
.313		.500	2.714
.375		.375	3.004

O.D.	Wall	I.D.	Wt./Ft.
1-3/16" (1.188")			
.049		1.090	0.596
.065		1.057	0.780
.083		1.022	0.980
.095		.998	1.109
.109		.970	1.256
.120		.948	1.369
.125		.938	1.419
.134		.920	1.508
.156		.875	1.719
.188		.813	2.008
.219		.750	2.266
.250		.688	2.504

O.D.	Wall	I.D.	Wt./Ft.
1-1/4" (1.250")			
.065		1.120	0.823
.083		1.084	1.034
.095		1.060	1.172
.109		1.032	1.328
.120		1.010	1.448
.125		1.000	1.502
.134		.982	1.597
.156		.938	1.823
.180		.890	2.057
.188		.875	2.132
.203		.844	2.270
.219		.812	2.411
.235		.780	2.547
.238		.774	2.572
.244		.762	2.622
.250		.750	2.670
.281		.688	2.908
.305		.640	3.078
.313		.625	3.132
.344		.563	3.329
.375		.500	3.504
.438		.375	3.798

O.D.	Wall	I.D.	Wt./Ft.
1-5/16" (1.313")			
.065		1.183	0.866
.083		1.147	1.092
.095		1.123	1.236
.109		1.095	1.402
.120		1.073	1.529
.134		1.045	1.687
.156		1.000	1.928
.188		.938	2.259
.219		.875	2.559
.238		.839	2.738
.250		.813	2.838
.281		.750	3.097
.313		.688	3.343
.375		.563	3.757

O.D.	Wall	I.D.	Wt./Ft.
1-3/8" (1.375")			
.065		1.245	0.909
.083		1.209	1.145
.095		1.185	1.299
.109		1.157	1.474
.120		1.135	1.608
.125		1.125	1.669
.134		1.107	1.776
.156		1.063	2.031
.172		1.031	2.209
.180		1.015	2.297
.188		1.000	2.383
.219		.938	2.704
.238		.899	2.890
.243		.890	2.938
.250		.875	3.004
.281		.813	3.283
.303		.769	3.469
.313		.750	3.550
.375		.625	4.005

O.D.	Wall	I.D.	Wt./Ft.
1-7/16" (1.438")			
.065		1.308	0.953
.095		1.248	1.364
.109		1.220	1.547
.120		1.198	1.689
.134		1.170	1.866
.156		1.125	2.136
.188		1.063	2.510
.219		1.000	2.851
.250		.938	3.172



DOM and Seamless Steel Tubing
(cont'd)

O.D.	Wall	I.D.	Wt./Ft.
1-1/2" (1.500")			
.049		1.402	0.759
.058		1.384	0.893
.065		1.370	0.996
.083		1.334	1.256
.095		1.310	1.426
.109		1.282	1.619
.113		1.274	1.674
.120		1.260	1.769
.125		1.250	1.836
.134		1.232	1.955
.156		1.188	2.239
.172		1.156	2.440
.179		1.142	2.526
.188		1.125	2.634
.219		1.063	2.996
.235		1.030	3.175
.238		1.024	3.208
.242		1.016	3.251
.245		1.010	3.284
.250		1.000	3.338
.281		.938	3.658
.305		.890	3.893
.313		.875	3.968
.344		.812	4.247
.365		.770	4.425
.375		.750	4.506
.438		.625	4.968
.500		.500	5.340

O.D.	Wall	I.D.	Wt./Ft.
1-9/16" (1.563")			
.065		1.433	1.040
.083		1.397	1.312
.091		1.381	1.432
.095		1.373	1.489
.109		1.345	1.692
.120		1.323	1.849
.125		1.313	1.920
.134		1.295	2.045
.156		1.251	2.344
.188		1.188	2.761
.219		1.125	3.146
.238		1.087	3.368
.250		1.063	3.506
.281		1.000	3.847
.313		.938	4.179
.375		.813	4.760

O.D.	Wall	I.D.	Wt./Ft.
1-5/8" (1.625")			
.049		1.527	0.825
.058		1.509	0.971
.065		1.495	1.083
.083		1.459	1.367
.095		1.435	1.552
.109		1.407	1.765
.120		1.385	1.929
.125		1.375	2.002
.134		1.357	2.134
.156		1.313	2.447
.180		1.265	2.778
.188		1.250	2.885
.219		1.187	3.289
.238		1.149	3.526
.250		1.125	3.671
.281		1.063	4.033
.301		1.024	4.256
.313		1.000	4.386
.375		.875	5.006
.438		.750	5.553
.500		.625	6.008

O.D.	Wall	I.D.	Wt./Ft.
1.660"			
.134		1.392	2.184
.375		.910	5.146

O.D.	Wall	I.D.	Wt./Ft.
1-11/16" (1.688")			
.125		1.438	2.087
.142		1.404	2.345
.156		1.375	2.553
.216		1.256	3.396
.250		1.188	3.840

O.D.	Wall	I.D.	Wt./Ft.
1.740"			
.365		1.010	5.360

O.D.	Wall	I.D.	Wt./Ft.
1-3/4" (1.750")			
.049		1.652	0.890
.065		1.620	1.170
.083		1.584	1.478
.095		1.560	1.679
.109		1.532	1.910
.120		1.510	2.089
.125		1.500	2.169
.134		1.482	2.313
.156		1.438	2.656
.180		1.390	3.018
.188		1.375	3.136
.219		1.313	3.581
.234		1.282	3.790
.238		1.274	3.843
.244		1.262	3.924
.250		1.250	4.005
.281		1.188	4.409
.297		1.156	4.609
.303		1.144	4.683
.313		1.125	4.804
.344		1.062	5.166
.363		1.024	5.377
.369		1.012	5.442
.375		1.000	5.507
.438		.875	6.137
.500		.750	6.675

O.D.	Wall	I.D.	Wt./Ft.
1-13/16" (1.813")			
.156		1.500	2.761
.250		1.313	4.173

O.D.	Wall	I.D.	Wt./Ft.
1-7/8" (1.875")			
.065		1.745	1.257
.083		1.709	1.589
.095		1.685	1.806
.109		1.657	2.056
.120		1.635	2.249
.125		1.625	2.336
.134		1.607	2.492
.156		1.563	2.864
.178		1.519	3.226
.180		1.515	3.259
.188		1.500	3.387
.219		1.437	3.873
.238		1.399	4.161
.243		1.389	4.235
.250		1.375	4.339
.281		1.313	4.784
.302		1.271	5.073
.313		1.250	5.221
.375		1.125	6.008
.438		1.000	6.722
.500		.875	7.343



O.D.	Wall	I.D.	Wt./Ft.
1-15/16" (1.938")			
.125		1.688	2.423
.219		1.500	4.021
.250		1.438	4.507
.375		1.188	6.260

2" (2.000")

.065		1.870	1.343
.083		1.834	1.699
.095		1.810	1.933
.109		1.782	2.201
.120		1.760	2.409
.125		1.750	2.503
.134		1.732	2.670
.156		1.688	3.072
.172		1.656	3.358
.180		1.640	3.498
.188		1.625	3.638
.219		1.563	4.166
.235		1.530	4.429
.243		1.515	4.559
.238		1.524	4.479
.240		1.520	4.511
.250		1.500	4.673
.281		1.438	5.159
.308		1.384	5.565
.313		1.375	5.639
.344		1.313	6.084
.360		1.280	6.306
.367		1.266	6.400
.375		1.250	6.508
.406		1.188	6.918
.438		1.125	7.307
.485		1.030	7.847
.500		1.000	8.010
.563		.875	8.640
.625		.750	9.178
.750		.500	10.010

2-1/16" (2.063")

.156		1.751	3.177
.188		1.687	3.765
.250		1.563	4.841

O.D.	Wall	I.D.	Wt./Ft.
2-1/8" (2.125")			
.065		1.995	1.430
.083		1.959	1.810
.095		1.935	2.060
.109		1.907	2.347
.120		1.885	2.570
.125		1.875	2.670
.134		1.857	2.849
.156		1.813	3.281
.188		1.750	3.889
.219		1.687	4.458
.238		1.649	4.797
.250		1.625	5.006
.281		1.563	5.534
.300		1.525	5.847
.313		1.500	6.057
.344		1.437	6.543
.375		1.375	7.009
.438		1.250	7.892
.500		1.125	8.678
.563		1.000	9.392

2-3/16" (2.188")

.125		1.938	2.754
.134		1.920	2.939
.156		1.876	3.385
.188		1.813	4.016
.250		1.688	5.175

2-1/4" (2.250")

.065		2.120	1.517
.083		2.084	1.921
.095		2.060	2.186
.109		2.032	2.492
.120		2.010	2.730
.125		2.000	2.837
.134		1.982	3.028
.156		1.938	3.489
.188		1.875	4.140
.219		1.813	4.750
.235		1.780	5.057
.238		1.774	5.114
.250		1.750	5.340
.281		1.688	5.909
.305		1.640	6.335
.313		1.625	6.475
.344		1.563	7.002
.359		1.532	7.250
.364		1.522	7.331
.368		1.514	7.397
.375		1.500	7.509
.438		1.375	8.476
.480		1.290	9.073
.500		1.250	9.345
.563		1.125	10.144
.625		1.000	10.847
.750		.750	12.015

O.D.	Wall	I.D.	Wt./Ft.
2-3/8" (2.375")			
.065		2.245	1.604
.083		2.209	2.032
.095		2.185	2.313
.109		2.157	2.638
.120		2.135	2.890
.125		2.125	3.004
.156		2.063	3.697
.188		2.000	4.391
.213		1.949	4.918
.219		1.937	5.043
.238		1.899	5.431
.250		1.875	5.674
.281		1.813	6.284
.305		1.765	6.743
.308		1.759	6.799
.313		1.750	6.893
.344		1.688	7.462
.375		1.625	8.010
.422		1.531	8.802
.438		1.500	9.061
.500		1.375	10.013
.563		1.250	10.895

2-7/16" (2.438")

.156		2.126	3.802
.188		2.063	4.518
.250		1.938	5.842

2-1/2" (2.500")

.065		2.370	1.690
.083		2.334	2.143
.095		2.310	2.440
.109		2.282	2.783
.120		2.260	3.050
.125		2.250	3.170
.134		2.232	3.386
.148		2.204	3.718
.156		2.188	3.905
.178		2.144	4.414
.180		2.140	4.460
.188		2.125	4.642
.219		2.062	5.335
.235		2.030	5.684
.238		2.024	5.750
.250		2.000	6.008
.265		1.970	6.325
.281		1.938	6.659
.313		1.875	7.311
.344		1.812	7.921
.358		1.784	8.189
.363		1.774	8.285
.375		1.750	8.511
.438		1.625	9.646
.469		1.563	10.174
.484		1.532	10.422
.492		1.516	10.550
.500		1.500	10.680
.563		1.375	11.647
.625		1.250	12.515
.750		1.000	14.018



DOM and Seamless Steel Tubing
(cont'd)

DOM and Seamless Steel Tubing				O.D. Wall I.D. Wt./Ft.			O.D. Wall I.D. Wt./Ft.		
				2-7/8" (2.875")			3-1/8" (3.125")		
O.D.	Wall	I.D.	Wt./Ft.	.095	2.685	2.821	.065	2.995	2.124
				.120	2.635	3.531	.125	2.875	4.005
				.125	2.625	3.671	.134	2.857	4.281
2-9/16" (2.563")				.134	2.607	3.923	.156	2.813	4.947
				.156	2.563	4.530	.188	2.750	5.897
	.120	2.323	3.131	.188	2.500	5.395	.219	2.687	6.797
	.188	2.187	4.769	.219	2.437	6.212	.250	2.625	7.676
	.250	2.063	6.176	.250	2.375	7.009	.313	2.500	9.400
	.313	1.938	7.521	.281	2.313	7.785	.360	2.405	10.631
				.306	2.263	8.396	.375	2.375	11.014
				.313	2.250	8.564	.426	2.273	12.280
2-5/8" (2.625")				.344	2.188	9.299	.438	2.250	12.569
	.065	2.495	1.777	.375	2.125	10.010	.483	2.159	13.629
	.083	2.459	2.253	.422	2.031	11.056	.500	2.125	14.020
	.095	2.435	2.567	.438	2.000	11.400	.563	2.000	15.405
	.109	2.407	2.929	.500	1.875	12.683	3-1/4" (3.250")		
	.120	2.385	3.210	.563	1.750	13.902	.065	3.120	2.211
	.125	2.375	3.338	.625	1.625	15.019	.083	3.084	2.807
	.134	2.357	3.565	.750	1.375	17.021	.095	3.060	3.201
	.156	2.313	4.114	3" (3.000")			.109	3.032	3.657
	.188	2.250	4.893	.065	2.870	2.037	.120	3.010	4.011
	.219	2.187	5.627	.083	2.834	2.586	.125	3.000	4.171
	.250	2.125	6.341	.095	2.810	2.947	.134	2.982	4.459
	.281	2.063	7.035	.109	2.782	3.365	.156	2.938	5.155
	.313	2.000	7.729	.120	2.760	3.691	.188	2.875	6.148
	.375	1.875	9.011	.125	2.750	3.838	.219	2.812	7.089
	.438	1.749	10.230	.134	2.732	4.101	.250	2.750	8.010
	.500	1.625	11.348	.156	2.688	4.738	.281	2.688	8.910
	.563	1.500	12.399	.188	2.625	5.646	.313	2.625	9.818
	.625	1.375	13.350	.219	2.562	6.505	.344	2.562	10.676
2-3/4" (2.750")				.234	2.532	6.912	.360	2.530	11.111
	.065	2.620	1.864	.238	2.524	7.021	.375	2.500	11.514
	.083	2.584	2.364	.250	2.500	7.343	.438	2.374	13.154
	.095	2.560	2.694	.281	2.438	8.160	.488	2.274	14.395
	.109	2.532	3.074	.305	2.390	8.778	.500	2.250	14.685
	.120	2.510	3.371	.313	2.375	8.982	.563	2.124	16.157
	.125	2.500	3.504	.344	2.312	9.758	.625	2.000	17.521
	.134	2.482	3.744	.360	2.280	10.150	.750	1.750	20.025
	.156	2.438	4.322	.375	2.250	10.513	.875	1.500	22.194
	.188	2.375	5.144	.406	2.188	11.247	1.000	1.250	24.030
	.219	2.312	5.920	.426	2.148	11.710	3-3/8" (3.375")		
	.238	2.274	6.385	.438	2.125	11.985	.120	3.135	4.172
	.250	2.250	6.675	.469	2.062	12.678	.125	3.125	4.338
	.281	2.188	7.410	.485	2.030	13.028	.156	3.063	5.363
	.313	2.125	8.147	.500	2.000	13.350	.188	3.000	6.399
	.344	2.062	8.840	.563	1.875	14.653	.219	2.937	7.382
	.360	2.030	9.189	.605	1.790	15.475	.250	2.875	8.344
	.367	2.016	9.340	.625	1.750	15.853	.295	2.785	9.703
	.375	2.000	9.512	.688	1.625	17.988	.313	2.750	10.236
	.438	1.875	10.815	.750	1.500	18.020	.375	2.625	12.015
	.483	1.784	11.694	.875	1.250	19.860	.438	2.500	13.739
	.500	1.750	12.015	1.000	1.000	21.360	.500	2.375	15.353
	.563	1.625	13.150				.625	2.125	18.356
	.625	1.500	14.184						
	.750	1.250	16.020						
	.875	1.000	17.522						

O.D.	Wall	I.D.	Wt./Ft.
3-1/2" (3.500")			
.065		3.370	2.385
.083		3.334	3.029
.095		3.310	3.455
.109		3.282	3.948
.120		3.260	4.332
.125		3.250	4.505
.134		3.232	4.817
.156		3.188	5.571
.188		3.125	6.650
.219		3.062	7.674
.238		3.024	8.292
.250		3.000	8.678
.281		2.938	9.660
.313		2.875	10.654
.344		2.812	11.595
.362		2.776	12.132
.375		2.750	12.516
.438		2.625	14.324
.487		2.526	15.671
.500		2.500	16.020
.563		2.375	17.660
.625		2.250	19.190
.750		2.000	22.028
.875		1.750	24.530
1.000		1.500	26.700

O.D.	Wall	I.D.	Wt./Ft.
3-3/4" (3.750")			
.095		3.560	3.708
.109		3.532	4.239
.120		3.510	4.652
.125		3.500	4.839
.134		3.482	5.175
.156		3.438	5.988
.188		3.375	7.152
.219		3.312	8.259
.250		3.250	9.345
.298		3.155	10.987
.313		3.125	11.489
.344		3.062	12.513
.363		3.025	13.131
.365		3.020	13.195
.370		3.010	13.356
.375		3.000	13.517
.438		2.875	15.493
.480		2.790	16.763
.485		2.780	16.912
.500		2.750	17.355
.563		2.625	19.163
.625		2.500	20.859
.688		2.375	22.499
.750		2.250	24.030
1.000		1.750	29.370

O.D.	Wall	I.D.	Wt./Ft.
4" (4.000")			
.065		3.870	2.732
.083		3.834	3.472
.095		3.810	3.962
.109		3.782	4.530
.120		3.760	4.973
.125		3.750	5.173
.134		3.732	5.533
.156		3.688	6.404
.188		3.625	7.654
.219		3.562	8.843
.238		3.524	9.562
.250		3.500	10.013
.281		3.438	11.161
.313		3.375	12.325
.363		3.274	14.100
.375		3.250	14.518
.438		3.125	16.662
.480		3.040	18.045
.485		3.030	18.207
.493		3.015	18.465
.500		3.000	18.690
.563		2.875	20.666
.625		2.750	22.528
.750		2.500	26.032
.875		2.250	29.203
1.000		2.000	32.040
1.250		1.500	36.713

O.D.	Wall	I.D.	Wt./Ft.
3-5/8" (3.625")			
.065		3.495	2.471
.083		3.139	3.140
.120		3.385	4.492
.125		3.375	4.673
.134		3.357	4.996
.188		3.249	6.901
.219		3.187	7.966
.250		3.125	9.011
.313		3.000	11.072
.375		2.875	13.016
.438		2.750	14.908
.500		2.625	16.688
.563		2.500	18.411
.625		2.375	20.025

O.D.	Wall	I.D.	Wt./Ft.
3-7/8" (3.875")			
.125		3.625	5.006
.188		3.500	7.403
.250		3.375	9.679
.313		3.250	11.907
.375		3.125	14.018
.438		3.000	16.078
.485		2.905	17.559
.500		2.875	18.023
.625		2.625	21.694

O.D.	Wall	I.D.	Wt./Ft.
4-1/8" (4.125")			
.125		3.875	5.340
.134		3.857	5.712
.188		3.750	7.905
.250		3.625	10.346
.313		3.500	12.743
.375		3.375	15.019
.438		3.250	17.247
.500		3.125	19.358
.563		3.000	21.418
.625		2.875	23.363

O.D.	Wall	I.D.	Wt./Ft.
4-1/4" (4.250")			
.095		4.060	4.216
.120		4.010	5.293
.125		4.000	5.506
.188		3.875	8.156
.250		3.750	10.680
.313		3.625	13.161
.344		3.562	14.350
.375		3.500	15.519
.438		3.375	17.832
.500		3.250	20.025
.563		3.125	22.169
.625		3.000	24.197
.750		2.750	28.035
.875		2.500	31.539



DOM and Seamless Steel Tubing
(cont'd)

O.D.	Wall	I.D.	Wt./Ft.
4-3/8" (4.375")			
.188	4.000		8.407
.250	3.875		11.014
.313	3.750		13.579
.375	3.625		16.020
.438	3.500		18.416
.500	3.375		20.692
.625	3.125		25.031
4-1/2" (4.500")			
.095	4.310		4.469
.120	4.260		5.613
.125	4.250		5.841
.156	4.188		7.237
.188	4.125		8.658
.219	4.062		10.013
.238	4.025		10.833
.250	4.000		11.348
.265	3.970		11.986
.281	3.938		12.662
.313	3.875		13.996
.375	3.750		16.521
.438	3.625		19.000
.480	3.540		20.608
.500	3.500		21.360
.563	3.375		23.673
.625	3.250		25.867
.750	3.000		30.038
.875	2.750		33.876
1.000	2.500		37.380
4-5/8" (4.625")			
.188	4.250		8.909
.250	4.125		11.681
.313	4.000		14.414
.375	3.875		17.021
.438	3.750		19.586
.500	3.625		22.028
.625	3.375		26.700
4-3/4" (4.750")			
.120	4.510		5.934
.134	4.482		6.606
.188	4.375		9.160
.219	4.312		10.598
.250	4.250		12.015
.313	4.125		14.832
.375	4.000		17.522
.438	3.875		20.170
.500	3.750		22.695
.625	3.500		27.534
.750	3.250		32.040

O.D.	Wall	I.D.	Wt./Ft.
4-7/8" (4.875")			
.188		4.500	9.411
.250		4.375	12.349
.313		4.250	15.250
.375		4.125	18.023
.500		3.875	23.363
5" (5.000")			
.120		4.760	6.254
.125		4.750	6.508
.188		4.625	9.662
.219		4.562	11.182
.250		4.500	12.683
.313		4.375	15.668
.375		4.250	18.523
.438		4.125	21.340
.485		4.030	23.387
.500		4.000	24.030
.563		3.875	26.680
.615		3.770	28.802
.625		3.750	29.203
.750		3.500	34.042
.875		3.250	38.548
1.000		3.000	42.720
1.250		2.500	50.063
5-1/8" (5.125")			
.375		4.375	19.024
.500		4.125	24.698
.625		3.875	30.038
5-1/4" (5.250")			
.120		5.010	6.574
.125		5.000	6.842
.188		4.875	10.164
.250		4.750	13.350
.313		4.625	16.504
.344		4.563	18.024
.375		4.500	19.524
.500		4.250	25.365
.625		4.000	30.872
5-3/8" (5.375")			
.188		5.000	10.415
.250		4.875	13.684
.313		4.750	16.922

O.D.	Wall	I.D.	Wt./Ft.
5-1/2" (5.500")			
.120		5.260	6.895
.188		5.125	10.666
.219		5.062	12.352
.250		5.000	14.018
.313		4.875	17.339
.375		4.750	20.526
.438		4.625	23.679
.469		4.562	25.199
.500		4.500	26.700
.625		4.250	32.540
.750		4.000	38.047
.875		3.750	43.221
1.000		3.500	48.060
1.250		3.000	56.737
1.500		2.500	64.080
5-5/8" (5.625")			
.313		5.000	17.757
.500		4.6250	27.368
5-3/4" (5.750")			
.120		5.510	7.215
.188		5.375	11.168
.250		5.250	14.685
.313		5.125	18.175
.375		5.000	21.527
.500		4.750	28.035
.625		4.500	34.209
.750		4.250	40.050
6" (6.000")			
.120		5.760	7.536
.125		5.750	7.843
.188		5.625	11.670
.250		5.500	15.353
.313		5.375	19.011
.375		5.250	22.528
.438		5.125	26.018
.485		5.030	28.567
.500		5.000	29.370
.625		4.750	35.878
.750		4.500	42.053
.875		4.250	47.893
1.000		4.000	53.400
6-1/4" (6.250")			
.120		6.010	7.856
.188		5.875	12.172
.250		5.750	16.020
.313		5.625	19.846
.375		5.500	23.529
.500		5.250	30.705
.625		5.000	37.546
.750		4.750	44.055
6-3/8" (6.375")			
.188		6.000	12.423
.344		5.687	22.157

O.D.	Wall	I.D.	Wt./Ft.	O.D.	Wall	I.D.	Wt./Ft.	O.D.	Wall	I.D.	Wt./Ft.
6-1/2" (6.500")				7-3/4" (7.750")				9-1/2" (9.500")			
.188		6.125	12.673	.250		7.250	20.025	.250		9.000	24.698
.250		6.000	16.688	.375		7.000	29.537	.375		8.750	36.546
.375		5.750	24.531	.500		6.750	38.715	.500		8.500	48.060
.500		5.500	32.040	8" (8.000")				9-3/4" (9.750")			
.625		5.250	39.215	.250		7.500	20.693	.250		9.250	25.365
.750		5.000	46.058	.375		7.250	30.538	.375		9.000	37.547
6-5/8" (6.625")				.500		7.000	40.050	.500		8.750	49.395
.250		6.125	17.021	.625		6.750	49.228	10" (10.000")			
.313		6.000	21.100	.750		6.500	58.073	.250		9.500	26.033
6-3/4" (6.750")				.875		6.250	66.583	.375		9.250	38.548
.250		6.250	17.355	1.000		6.000	74.760	.500		9.000	50.730
.375		6.000	25.532	8-1/4" (8.250")				10-1/2" (10.500")			
.500		5.750	33.375	.250		7.750	21.360	.250		10.000	27.368
.625		5.500	40.884	.375		7.500	31.539	.375		9.750	40.551
7" (7.000")				.500		7.250	41.385	.500		9.500	53.400
.188		6.625	13.677	8-1/2" (8.500")				11" (11.000")			
.250		6.500	18.023	.250		8.000	22.028	.250		10.500	28.703
.313		6.375	22.354	.375		7.750	32.541	.375		10.250	42.553
.375		6.250	26.533	.500		7.500	42.720	.500		10.000	56.070
.493		6.015	34.261	.563		7.375	47.724	11-1/2" (11.500")			
.500		6.000	34.710	8-3/4" (8.750")				.250		11.000	30.038
.625		5.750	42.553	.250		8.250	22.695	.375		10.500	58.740
.750		5.500	50.062	.375		8.000	33.542	.500		10.000	
.875		5.250	57.238	.500		7.750	44.055	12" (12.000")			
1.000		5.000	64.080	9" (9.000")				.250		11.500	31.373
1.500		4.000	88.110	.250		8.500	23.363	.375		11.250	46.558
7-1/4" (7.250")				.375		8.250	34.543	.500		11.000	61.410
.188		6.875	14.179	.500		8.000	45.390	9-1/4" (9.250")			
.250		6.750	18.690	.250		8.750	24.030	7-1/2" (7.500")			
.375		6.500	27.534	.375		8.500	35.544	.188		7.125	14.680
.500		6.250	36.045	.500		8.250	46.725	.250		7.000	19.358
.625		6.000	44.221	9-1/2" (9.500")				.375		6.750	28.536
7-1/2" (7.500")				10" (10.000")				.500		6.500	37.380
.188		7.125	14.680	10-1/2" (10.500")				.563		6.375	41.7110
.250		7.000	19.358	11" (11.000")				.625		6.250	45.890
.375		6.750	28.536	11-1/2" (11.500")				12" (12.000")			
.500		6.500	37.380	12" (12.000")				.250		11.500	31.373
.563		6.375	41.7110	12" (12.000")				.375		11.250	46.558
.625		6.250	45.890	12" (12.000")				.500		11.000	61.410



**GALVANIZED
TUBING**


Aladdin Steel, LLC

CARBON STEEL TUBING & PIPE

**ALUMINIZED
TUBING**

Aladdin Steel stocks one of the most diversified inventories of Galvanized & Aluminized Steel Tubing and Pipe in North America.

We carry hundreds of sizes from 1/2" OD thru 12" OD in Round Galvanized & Aluminized Steel Tubing and Pipe, as well as Galvanized Square and Rectangular Steel Tubing in many popular sizes.



GALVANIZED AND ALUMINIZED PRODUCT APPLICATIONS

- Agricultural Spouting**
- Awnings**
- Boat Docks**
- Carports**
- Conveyors**
- Dairy Confinement**
- Foundation Piering**
- Garage Doors**
- Greenhouses**
- Ground Sockets**
- Livestock Equipment**
- Mufflers**
- Playground Equipment**
- Pneumatic Vacuum Systems**
- Portable Buildings**
- Poultry Curtain Rods**
- Poultry Watering Systems**
- Solar Energy Products**
- Trailer Tarp Tubing**



Corporate Office - Gillespie, IL.

PH: 1-800-637-4455 / FX: 1-217-839-3823

St. Louis Sales Office

PH: 1-888-215-9337 / FX: 1-636-273-6072


Chicago Sales Office

PH: 1-888-637-2954 / FX: 1-872-268-8001

Check out our complete inventory at:
www.ALADDINSTEEL.com



**Swaging Dies available in size range of
.706" OD x .042 WALL to 2" OD x .083 WALL**



**We offer several value added services such as
swaging, cutting to length and deburring.**

Request for quotes can be
sent to our sales staff at:
sales@aladdinsteel.com

Aladdin Steel, LLC
Carbon Steel Tubing & Pipe



Galvanized Poultry Tubing & Conduit

(0.706")	1/2" Curtain Rod
(0.922")	3/4" Curtain Rod
(1.050")	Watering System Support
(1.163")	Watering System Support

Stocking both swaged & plain end



ROUND ELECTRIC WELDED STEEL TUBING

Cold Rolled, Hot Rolled,
HRPO, Galvanized,
Galvanized with
ClearCoat,
Aluminized-AKDQ/EDDS
ASTM A-787
ASTM A-513
ASTM A-500
ASTM A-135

**Many Sizes ID Flash
Controlled**

O.D. Wall Wt./Ft.

1/4" (.250")

.035 0.080
.049 0.105

5/16" (.313")

.028 0.085
.035 0.104
.049 0.138

3/8" (.375")

.028 0.104
.035 0.127
.042 0.149
.049 0.171
.065 0.215

.406"

.049 0.187
.068 0.246

7/16" (.438")

.028 0.122
.035 0.151
.042 0.178
.049 0.204
.065 0.259

1/2" (.500")

.028 0.141
.035 0.174
.042 0.205
.049 0.236
.058 0.274
.065 0.302
.083 0.370

O.D. Wall Wt./Ft.

.540"

.065 0.330
.088 0.425

9/16" (.563")

.035 0.197
.049 0.269
.065 0.346
.083 0.426

5/8" (.625")

.028 0.179
.035 0.221
.042 0.262
.049 0.301
.065 0.389
.083 0.480
.095 0.538
.109 0.601
.120 0.647

.675"

.065 0.423
.091 0.568
.126 0.739

11/16" (.688")

.035 0.244
.049 0.334
.065 0.432
.083 0.536

.706"

.042 0.300
.049 0.344

3/4" (.750")

.028 0.216
.035 0.267
.049 0.367
.065 0.476
.083 0.591
.095 0.665
.109 0.746
.120 0.807
.134 0.882

13/16" (.813")

.035 0.290
.049 0.398
.065 0.519
.083 0.646

O.D. Wall Wt./Ft.

.840"

.065 0.538
.083 0.671
.095 0.756
.109 0.851

7/8" (.875")

.028 0.253
.035 0.314
.049 0.432
.065 0.562
.083 0.702
.095 0.791
.109 0.892
.120 0.968

.922"

.049 0.457

15/16" (.938")

.035 0.337
.049 0.465
.065 0.605
.083 0.754
.095 0.854

.995"

.065 0.649
.083 0.812
.095 0.913
.109 1.031
.120 1.128

O.D. Wall Wt./Ft.

1" (1.000")

.028 0.291
.035 0.361
.042 0.430
.049 0.498
.058 0.584
.065 0.649
.072 0.714
.083 0.813
.095 0.918
.109 1.037
.120 1.128
.134 1.239

1.029"

.065 0.670
.072 0.736
.083 0.839

1.050"

.065 0.684
.072 0.752
.083 0.868
.095 0.969
.109 1.095
.120 1.209

1-1/16" (1.063")

.035 0.384
.049 0.530
.065 0.692
.083 0.868
.095 0.981
.109 1.111
.120 1.209



O.D.	Wall	Wt./Ft.
1-1/8" (1.125")		
.028		0.328
.035		0.407
.049		0.563
.065		0.736
.083		0.924
.095		1.045
.109		1.183
.120		1.288
.134		1.418
.148		1.544
.156		1.614

O.D.	Wall	Wt./Ft.
1.163"		
.058		0.684

O.D.	Wall	Wt./Ft.
1-3/16" (1.188")		
.049		0.596
.065		0.780
.083		0.979
.095		1.109
.109		1.256

O.D.	Wall	Wt./Ft.
1-1/4" (1.250")		
.028		0.365
.035		0.454
.049		0.629
.065		0.823
.083		1.034
.095		1.172
.109		1.328
.120		1.448
.134		1.597
.148		1.742
.156		1.823

O.D.	Wall	Wt./Ft.
1.290"		
.095		1.212
.109		1.375

O.D.	Wall	Wt./Ft.
1-5/16" (1.313")		
.049		0.661
.065		0.866
.072		0.954
.083		1.089
.095		1.235
.109		1.400
.120		1.528
.134		1.686

O.D.	Wall	Wt./Ft.
1-3/8" (1.375")		
.035		0.501
.049		0.694
.065		0.909
.083		1.145
.095		1.299
.109		1.474
.120		1.608
.134		1.776

O.D.	Wall	Wt./Ft.
1-7/16" (1.438")		
.035		0.524
.049		0.726
.065		0.953
.083		1.201
.095		1.363
.120		1.689

O.D.	Wall	Wt./Ft.
1-1/2" (1.500")		
.028		0.440
.035		0.548
.042		0.654
.049		0.759
.065		0.996
.083		1.256
.095		1.426
.109		1.619
.120		1.769
.134		1.955
.148		2.137
.156		2.239
.180		2.540
.188		2.637

O.D.	Wall	Wt./Ft.
1.510"		
.065		1.003

O.D.	Wall	Wt./Ft.
1-9/16" (1.563")		
.035		0.571
.042		0.682
.049		0.792
.065		1.039
.083		1.311
.095		1.488
.120		1.849
.134		2.045
.148		2.237
.156		2.344

O.D.	Wall	Wt./Ft.
1-5/8" (1.625")		
.035		0.594
.049		0.825
.065		1.083
.083		1.367
.095		1.552
.109		1.765
.120		1.929
.134		2.134
.148		2.337
.156		2.450

O.D.	Wall	Wt./Ft.
1.660"		
.049		0.843
.065		1.107
.083		1.398
.095		1.588
.109		1.806
.120		1.974
.134		2.183

O.D.	Wall	Wt./Ft.
1-11/16" (1.688")		
.083		1.425
.095		1.618
.109		1.840
.120		2.012
.134		2.227

O.D.	Wall	Wt./Ft.
1.740"		
.065		1.170

O.D.	Wall	Wt./Ft.
1-3/4" (1.750")		
.035		0.641
.049		0.890
.065		1.170
.083		1.478
.095		1.679
.109		1.910
.120		2.089
.134		2.313
.148		2.532
.156		2.656
.165		2.793
.180		3.018
.188		3.136

O.D.	Wall	Wt./Ft.
1-13/16" (1.813")		
.049		0.923
.065		1.213
.083		1.534
.095		1.744

O.D.	Wall	Wt./Ft.
1-7/8" (1.875")		
.035		0.688
.049		0.956
.065		1.257
.083		1.589
.095		1.806
.109		2.056
.120		2.249
.134		2.492
.148		2.730
.165		3.013
.180		3.258
.250		4.339



O.D.	Wall	Wt./Ft.
1.900"		
.049		0.967
.065		1.292
.083		1.611
.095		1.831
.109		2.085
.120		2.281
.134		2.527

O.D.	Wall	Wt./Ft.
2" (2.000")		
.035		0.735
.049		1.021
.065		1.343
.072		1.483
.083		1.699
.095		1.933
.109		2.201
.120		2.409
.134		2.670
.148		2.927
.156		3.072
.165		3.234
.180		3.499
.188		3.638

Round Electric Welded Steel Tubing (cont'd)

O.D. Wall Wt./Ft.

2-1/8" (2.125")

.035	0.781
.049	1.086
.065	1.430
.083	1.810
.095	2.060
.109	2.347
.120	2.570
.134	2.849

2-3/16" (2.188")

.065	1.474
.083	1.866
.120	2.653
.134	2.942

2.197"

.065	1.480
------	-------

2-1/4" (2.250")

.035	0.828
.049	1.152
.065	1.517
.083	1.921
.095	2.186
.109	2.492
.120	2.730
.134	3.028
.148	3.323
.165	3.674
.180	3.979
.188	4.144
.250	5.340

2-3/8" (2.375")

.035	0.875
.049	1.217
.065	1.604
.083	2.032
.095	2.313
.109	2.638
.120	2.890
.134	3.207
.148	3.520
.165	3.894
.180	4.220

O.D. Wall Wt./Ft.

2-1/2" (2.500")

.035	0.921
.049	1.283
.065	1.690
.083	2.143
.095	2.440
.109	2.783
.120	3.050
.134	3.386
.148	3.718
.165	4.115
.180	4.460
.188	4.642
.219	5.335
.250	6.008

2-9/16" (2.563")

.120	3.131
.180	4.581
.188	4.769

2-5/8" (2.625")

.035	0.968
.049	1.348
.065	1.777
.083	2.253
.095	2.567
.109	2.929
.120	3.210
.134	3.565
.156	4.114
.180	4.700
.188	4.893

2-3/4" (2.750")

.035	1.015
.042	1.215
.049	1.413
.065	1.864
.083	2.364
.095	2.694
.109	3.074
.120	3.371
.134	3.744
.156	4.322
.180	4.541

2-7/8" (2.875")

.049	1.479
.065	1.954
.083	2.475
.095	2.821
.109	3.220
.120	3.531
.134	3.923
.156	4.530
.188	5.395
.219	6.212
.313	8.564
.500	12.683



O.D. Wall Wt./Ft.

3" (3.000")

.049	1.544
.065	2.037
.083	2.586
.095	2.947
.109	3.365
.120	3.691
.134	4.102
.148	4.508
.156	4.738
.165	4.996
.180	5.421
.188	5.646
.203	6.064
.219	6.532
.238	7.021
.250	7.343
.281	8.160
.313	8.957
.500	13.350

3-1/8" (3.125")

.049	1.611
.065	2.124
.083	2.697
.095	3.074
.120	3.851
.134	4.280
.148	4.706
.180	5.661

3-1/4" (3.250")

.049	1.675
.065	2.211
.083	2.807
.095	3.201
.109	3.657
.120	4.011
.134	4.459
.148	4.903
.165	5.436
.180	5.902
.188	6.154
.250	8.010

O.D. Wall Wt./Ft.

3-1/2" (3.500")

.049	1.806
.065	2.385
.083	3.029
.095	3.455
.109	3.948
.120	4.332
.134	4.817
.148	5.298
.165	5.877
.180	6.382
.188	6.650
.219	7.674
.238	8.299
.250	8.678
.281	9.660
.300	10.250
.375	12.516
.438	14.324
.500	16.020

3-5/8" (3.625")

.065	2.471
.083	3.143
.120	4.492

3-3/4" (3.750")

.065	2.558
.083	3.254
.095	3.708
.109	4.239
.120	4.652
.134	5.180

4" (4.000")

.065	2.732
.083	3.472
.095	3.962
.109	4.530
.120	4.973
.134	5.533
.148	6.089
.165	6.758
.180	7.344
.188	7.654
.219	8.843
.250	10.013
.281	11.161
.313	12.325
.344	13.432
.375	14.518
.438	16.663
.500	18.690

4-1/8" (4.125")

.083	3.586
.095	4.093

O.D.	Wall	Wt./Ft.
4-1/4" (4.250")		
.065		2.905
.083		3.694
.095		4.216
.120		5.293

O.D.	Wall	Wt./Ft.
4-1/2" (4.500")		
.065		3.079
.083		3.915
.095		4.469
.109		5.112
.120		5.613
.134		6.248
.156		7.237
.180		8.305
.188		8.658
.219		10.013
.250		11.348
.281		12.662
.313		13.996
.375		16.521
.438		19.001
.500		21.360

O.D.	Wall	Wt./Ft.
4-3/4" (4.750")		
.065		3.255
.095		4.727
.120		5.939

O.D.	Wall	Wt./Ft.
5" (5.000")		
.065		3.426
.083		4.359
.095		4.977
.109		5.694
.120		6.254
.134		6.964
.148		7.669
.165		8.520
.180		9.266
.203		10.400
.250		12.683
.281		14.162
.375		18.523
.500		24.030

O.D.	Wall	Wt./Ft.
5-1/4" (5.250")		
.120		6.575
.134		7.322

O.D.	Wall	Wt./Ft.
5-1/2" (5.500")		
.065		3.773
.083		4.802
.120		6.895
.134		7.679
.156		8.904
.180		10.227
.188		10.666
.219		12.352
.250		14.018
.375		20.526
.500		26.700

O.D.	Wall	Wt./Ft.
6" (6.000")		
.065		4.120
.083		5.245
.109		6.858
.120		7.536
.134		8.395
.148		9.250
.156		9.737
.165		10.282
.180		11.188
.188		11.680
.203		12.568
.219		13.521
.238		14.646
.250		15.353
.281		17.163
.313		18.953
.344		20.528
.375		22.528
.438		26.018

O.D.	Wall	Wt./Ft.
6-1/4" (6.250")		
.120		7.856
.250		16.020

O.D.	Wall	Wt./Ft.
6-5/8" (6.625")		
.083		5.799
.109		7.585
.125		8.678
.134		9.289
.156		10.778
.188		12.924
.219		14.983
.250		17.021
.281		19.039
.313		21.100
.344		23.076
.375		25.031

O.D.	Wall	Wt./Ft.
7" (7.000")		
.065		4.814
.083		6.132
.109		8.022
.120		8.817
.134		9.826
.188		13.677
.250		18.023
.500		34.710

O.D.	Wall	Wt./Ft.
7-1/2" (7.500")		
.500		37.380

O.D.	Wall	Wt./Ft.
8" (8.000")		
.065		5.508
.083		7.018
.109		9.186
.120		10.099
.134		11.257
.188		15.685
.250		20.692

O.D.	Wall	Wt./Ft.
8-5/8" (8.625")		
.083		7.572
.109		9.913
.134		12.151
.156		14.110
.188		16.940
.219		19.661
.250		22.361

O.D.	Wall	Wt./Ft.
10" (10.000")		
.083		8.791
.109		11.514
.120		12.662
.134		14.119
.188		19.701
.250		26.032

O.D.	Wall	Wt./Ft.
10-3/4" (10.750")		
.109		12.387
.134		15.192
.188		21.206
.250		28.035

O.D.	Wall	Wt./Ft.
12" (12.000")		
.109		13.843
.134		16.982
.188		23.717
.250		31.372

O.D.	Wall	Wt./Ft.
12-3/4" (12.750")		
.109		14.715
.134		18.055
.188		25.222
.250		33.375

O.D.	Wall	Wt./Ft.
14" (14.000")		
.109		16.171
.134		19.843
.188		27.732
.250		36.712

O.D.	Wall	Wt./Ft.
16" (16.000")		
.109		18.499
.134		22.706
.188		31.748
.250		42.052



SQUARE STEEL TUBING

**CRCQ, HRP&O, Hot
Rolled, Galvanized,
ASTM A-500, ASTM
A-513 & ASTM A-787**

**Many telescoping
sizes available**

O.D. Wall Wt./Ft.

3/8 x 3/8"

.035	.162
.049	.217
.065	.274

1/2 x 1/2"

.035	.221
.049	.301
.065	.384

5/8 x 5/8"

.035	.281
.049	.384
.065	.495

3/4 x 3/4"

.035	.340
.049	.467
.065	.605
.083	.753
.095	.846
.109	.950
.120	1.028

13/16 x 13/16"

.049	.510
.065	.688

.843 x .843"

.049	.529
.065	.688

7/8 x 7/8"

.035	.400
.049	.550
.065	.716
.083	.894

O.D. Wall Wt./Ft.

1 x 1"

.035	.459
.049	.634
.065	.827
.072	.909
.083	1.035
.095	1.169
.109	1.320
.120	1.436
.134	1.578
.188	1.768

1-1/8 x 1-1/8"

.035	.519
.049	.717
.065	.937
.083	1.176
.109	1.506
.120	1.640

1-1/4 x 1-1/4"

.035	.578
.049	.800
.065	1.047
.072	1.182
.083	1.317
.095	1.492
.109	1.691
.120	1.844
.134	1.889
.188	2.408

1-3/8 x 1-3/8"

.049	.884
.065	1.158

1-1/2 x 1-1/2"

.035	.697
.049	.967
.065	1.268
.072	1.434
.083	1.599
.095	1.815
.109	2.062
.120	2.252
.134	2.489
.188	3.355
.250	3.706

O.D. Wall Wt./Ft.

1-3/4 x 1-3/4"

.035	.816
.049	1.134
.065	1.490
.083	1.882
.095	2.138
.109	2.432
.120	2.660
.134	2.945
.188	3.687

1-7/8 x 1-7/8"

.065	1.600
.083	2.023

2 x 2"

.035	.935
.049	1.300
.065	1.710
.083	2.164
.095	2.461
.109	2.802
.120	3.050
.134	3.397
.188	4.320
.219	5.305
.250	5.410
.313	7.181

O.D. Wall Wt./Ft.

2-1/8 x 2-1/8"

.109	2.990
.120	3.270
.134	3.629

2.170 x 2.170"

.109	3.055
.120	3.346
.134	3.710

2-1/4 x 2-1/4"

.065	1.932
.083	2.446
.109	3.174
.120	3.476
.188	5.272
.250	6.800

2-1/2 x 2-1/2"

.065	2.152
.083	2.728
.095	3.107
.109	3.544
.120	3.900
.134	4.309
.188	5.590
.238	6.830
.250	7.110
.313	8.438



O.D.	Wall	Wt./Ft.	O.D.	Wall	Wt./Ft.	O.D.	Wall	Wt./Ft.	O.D.	Wall	Wt./Ft.
3 x 3"			4 x 4"			6 x 6"			10 x 10"		
.065		2.594	.083		4.422	.188		14.530	.188		24.730
.083		3.292	.109		5.768	.250		19.020	.250		32.630
.095		3.753	.120		6.460	.313		23.340	.313		40.350
.109		4.286	.134		7.045	.375		27.480	.375		47.900
.120		4.750	.188		9.420	.500		35.240	.500		62.460
.134		5.219	.250		12.210						
.188		6.870	.313		14.830						
.238		8.442	.375		17.270						
.250		8.810	.500		21.630						
.313		10.580	4-1/2 x 4-1/2"								
.375		12.165	.188		10.700						
3-1/2 x 3-1/2"			.250		13.910						
.120		5.610									
.188		8.150	5 x 5"								
.250		10.510	.120		7.964						
.313		12.700	.188		11.970						
.375		14.717	.250		15.620						
			.313		19.080						
			.375		22.370						
			.500		28.430						
						8 x 8"					
						.188		19.630			
						.250		25.820			
						.313		31.840			
						.375		37.690			
						.500		48.850			
									14 x 14"		
									.313		57.360
									.375		68.310
									.500		89.680
									16 x 16"		
									.313		65.870
									.375		78.520
									.500		103.300



RECTANGULAR STEEL TUBING

**CRCQ, HRP&O, Hot
Rolled, Galvanized,
ASTM A-500, ASTM
A-513 & ASTM A-787**

O.D. Wall Wt./Ft.

1 x 1/2"

.035	.340
.049	.467
.065	.606
.083	.753

1 x 3/4"

.035	.400
.049	.550
.065	.716
.083	.894

1 x 7/8"

.065	.771
------	------

1-1/8 x 7/8"

.049	.634
------	------

1-1/4 x 1/2"

.065	.716
------	------

1-1/4 x 5/8"

.035	.429
.049	.591
.065	.771

1-1/4 x 3/4"

.065	.827
.083	1.035
.120	1.436

1-1/4 x 1"

.035	.519
.049	.717
.065	.937

1-1/2 x 1/2"

.035	.459
.049	.634
.065	.827
.083	1.035
.120	1.436

O.D. Wall Wt./Ft.

1-1/2 x 5/8"

.035	.488
.049	.675
.065	.881
.083	1.105

1-1/2 x 3/4"

.035	.519
.049	.717
.065	.937
.083	1.176
.120	1.601

1-1/2 x 1"

.035	.578
.049	.800
.065	1.048
.083	1.317
.120	1.844

1-5/8 x 1"

.035	.608
.049	.842
.065	1.102
.083	1.388

1-3/4 x 3/4"

.049	.800
.065	1.047

1-3/4 x 1"

.035	.638
.049	.884
.065	1.158
.083	1.458

1-3/4 x 1-1/4"

.035	.668
.049	.926
.065	1.212
.083	1.529

2 x 1/2"

.049	.800
.065	1.047

2 x 5/8"

.049	.842
.065	1.103

2 x 3/4"

.049	.884
.065	1.158
.083	1.458
.095	1.654

O.D. Wall Wt./Ft.

2 x 1"

.049	.967
.065	1.269
.083	1.600
.095	1.815
.120	2.252
.134	2.489
.188	3.350

2 x 1-1/4"

.049	1.505
.065	1.379
.083	1.740
.120	2.456

2 x 1-1/2"

.049	1.133
.065	1.489
.083	1.882
.120	2.660
.188	3.843

2-1/2 x 1"

.049	1.133
.065	1.489
.083	1.882
.120	2.660

2-1/2 x 1-1/4"

.083	2.023
------	-------

2-1/2 x 1-1/2"

.065	1.710
.083	2.164
.109	2.802
.120	3.050
.188	4.320
.250	5.407

2-1/2 x 1-3/4"

.083	2.305
.120	3.272
.134	3.628

3 x 1"

.065	1.710
.083	2.164
.120	3.050
.188	4.320

3 x 1-1/4"

.065	1.821
.083	2.305
.120	3.272

O.D. Wall Wt./Ft.

3 x 1-1/2"

.065	1.931
.083	2.445
.109	3.070
.120	3.476
.188	4.960
.250	6.800

3 x 2"

.065	2.152
.083	2.728
.095	3.110
.109	3.544
.120	3.900
.188	5.590
.250	7.110
.313	8.640

3 x 2-1/2"

.120	4.360
------	-------

3-1/2 x 1-1/2"

.109	3.544
.120	3.900
.134	4.311
.188	5.600

3-1/2 x 2-1/2"

.083	3.290
.120	4.750
.188	6.870
.250	8.810

4 x 1"

.120	3.884
------	-------

4 x 1-1/2"

.083	3.010
.120	4.292
.188	6.240

4 x 2"

.065	2.595
.083	3.292
.109	4.285
.120	4.750
.188	6.870
.250	8.810
.313	10.580
.375	12.165

4 x 2-1/2"

.083	3.574
.120	5.108
.134	5.678
.188	7.829

O.D.	Wall	Wt./Ft.
4 x 3"		
.083		3.857
.120		5.610
.188		8.150
.250		10.510
.313		12.684
.375		14.717

O.D.	Wall	Wt./Ft.
5 x 2"		
.120		5.610
.188		8.150
.250		10.510
.313		12.700

O.D.	Wall	Wt./Ft.
5 x 2-1/2"		
.120		5.924
.188		8.804
.250		11.361

O.D.	Wall	Wt./Ft.
5 x 3"		
.120		6.460
.188		9.420
.250		12.210
.313		14.830
.375		17.270
.500		21.630

O.D.	Wall	Wt./Ft.
5 x 4"		
.120		7.148
.188		10.700
.250		13.910
.375		19.820

O.D.	Wall	Wt./Ft.
6 x 2"		
.083		4.421
.120		6.460
.188		9.420
.250		12.210
.313		14.830
.375		17.269

O.D.	Wall	Wt./Ft.
6 x 3"		
.120		7.438
.188		10.700
.250		13.910
.313		16.960
.375		19.820
.500		25.029

O.D.	Wall	Wt./Ft.
6 x 4"		
.120		7.691
.188		11.970
.250		15.620
.313		19.080
.375		22.370
.500		28.430

O.D.	Wall	Wt./Ft.
7 x 3"		
.188		11.970
.250		15.620
.313		17.080
.375		22.370

O.D.	Wall	Wt./Ft.
7 x 4"		
.188		13.250
.250		17.320
.313		21.210
.375		24.930
.500		31.840

O.D.	Wall	Wt./Ft.
7 x 5"		
.188		14.530
.250		19.020
.313		23.340
.375		27.480
.500		35.240

O.D.	Wall	Wt./Ft.
8 x 2"		
.188		11.970
.250		15.620
.313		19.080
.375		22.370

O.D.	Wall	Wt./Ft.
8 x 3"		
.125		9.138
.188		13.250
.250		17.320
.313		21.220
.375		24.930
.500		31.834

O.D.	Wall	Wt./Ft.
8 x 4"		
.188		14.530
.250		19.020
.313		23.340
.375		27.480
.500		35.240

O.D.	Wall	Wt./Ft.
8 x 6"		
.188		17.080
.250		22.420
.313		27.590
.375		32.580
.500		42.050

O.D.	Wall	Wt./Ft.
8 x 7"		
.188		18.695
.250		24.650
.313		30.594
.375		36.338

O.D.	Wall	Wt./Ft.
9 x 3"		
.188		14.530
.250		19.020
.313		23.340
.375		27.480

O.D.	Wall	Wt./Ft.
9 x 5"		
.188		17.080
.250		22.420
.313		27.590
.375		32.580

O.D.	Wall	Wt./Ft.
9 x 6"		
.188		18.350
.250		24.120

O.D.	Wall	Wt./Ft.
9 x 7"		
.188		19.630
.250		25.820
.313		31.840
.375		37.690
.500		48.850

O.D.	Wall	Wt./Ft.
10 x 2"		
.188		14.530
.250		19.020
.313		23.340
.375		27.480

O.D.	Wall	Wt./Ft.
10 x 3"		
.188		15.841
.250		20.718
.313		25.423

O.D.	Wall	Wt./Ft.
10 x 4"		
.188		17.080
.250		22.420
.313		27.590
.375		32.580
.500		42.050

O.D.	Wall	Wt./Ft.
10 x 5"		
.188		18.350
.250		24.120
.313		29.720
.375		35.130

O.D.	Wall	Wt./Ft.
10 x 6"		
.188		19.630
.250		25.820
.313		31.840
.375		37.690
.500		48.850

O.D.	Wall	Wt./Ft.
10 x 8"		
.188		22.180
.250		29.230
.375		42.790
.500		55.660

O.D.	Wall	Wt./Ft.
12 x 2"		
.188		17.080
.250		22.420

O.D.	Wall	Wt./Ft.
12 x 3"		
.188		18.350
.250		24.120
.313		29.670
.375		35.132

O.D.	Wall	Wt./Ft.
12 x 4"		
.188		19.630
.250		25.820
.313		31.840
.375		37.690
.500		48.850

O.D.	Wall	Wt./Ft.
12 x 6"		
.188		22.180
.250		29.230
.313		36.100
.375		42.790
.500		55.660

O.D.	Wall	Wt./Ft.
12 x 8"		
.250		32.630
.313		40.350
.375		47.900
.500		62.460



STEEL PIPE

Black, Galvanized, Structural, A106B & A53B Seamless Pipe A500 B/C

Nominal Pipe Size

O.D. (In.) Wall Schedule Wt./Ft.

1/8"

.405	.035	5	.1383
	.049	10	.1863
	.068	40	.2447
	.095	80	.3145

1/4"

.540	.049	5	.2570
	.065	10	.3297
	.088	40	.4248
	.119	80	.5351

3/8"

.675	.049	5	.3276
	.065	10	.4235
	.091	40	.5676
	.126	80	.7388

Nominal Pipe Size

O.D. (In.) Wall Schedule Wt./Ft.

1/2"

.840	.065	5	.5383
	.083	10	.6710
	.109	40	.8510
	.147	80	1.0880
	.187	160	1.3040
	.294	Dble. E.H.	1.7140

3/4"

1.050	.065	5	.6838
	.083	10	.8572
	.113	40	1.1310
	.154	80	1.4740
	.218	160	1.9370
	.308	Dble. E.H.	2.4410

1"

1.315	.065	5	.8678
	.109	10	1.4040
	.133	40	1.6790
	.179	80	2.1720
	.250	160	2.8440
	.358	Dble. E.H.	3.6590

1-1/4"

1.660	.065	5	1.107
	.109	10	1.806
	.140	40	2.273
	.191	80	2.997
	.250	160	3.765
	.382	Dble. E.H.	5.214

1-1/2"

1.900	.065	5	1.274
	.109	10	2.085
	.145	40	2.718
	.200	80	3.631
	.281	160	4.859
	.400	Dble. E.H.	6.408

2"

2.375	.065	5	1.604
	.109	10	2.638
	.154	40	3.653
	.218	80	5.022
	.343	160	7.444
	.436	Dble. E.H.	9.029

Nominal Pipe Size

O.D. (In.) Wall Schedule Wt./Ft.

2-1/2"

2.875	.083	5	2.475
	.120	10	3.531
	.203	40	5.793
	.276	80	7.661
	.375	160	10.010
	.552	Dble. E.H.	13.700

3"

3.500	.083	5	3.029
	.120	10	4.332
	.156	—	5.570
	.188	—	8.300
	.216	40	7.576
	.300	80	10.250
.437	160	14.320	
.600	Dble. E.H.	18.580	

3-1/2"

4.000	.083	5	3.472
	.120	10	4.973
	.188	—	7.654
	.226	40	9.109
	.318	80	12.510
	.636	Dble. E.H.	22.850

4"

4.500	.083	5	3.915
	.120	10	5.613
	.156	—	7.230
	.188	—	8.658
	.237	40	10.790
	.281	60	12.660
	.337	80	14.980
	.437	120	19.010
	.531	160	22.510
	.674	Dble. E.H.	27.540

4-1/2"

5.000	.247	Std.	12.530
	.355	E.H.	17.610
	.710	Dble. E.H.	32.530

5"

5.563	.109	5	6.349
	.134	10	7.770
	.258	40	14.620
	.375	80	20.780
	.500	120	27.040
	.625	160	32.960
	.750	Dble. E.H.	38.550



Nominal Pipe Size

O.D. (In.)	Wall	Schedule	Wt./Ft.
6"			
6.625	.109	5	7.585
	.134	10	9.289
	.156	—	10.778
	.188	—	12.920
	.219	—	14.983
	.250	—	17.021
	.280	40	18.970
	.432	80	28.570
	.562	120	36.390
	.718	160	45.300
	.864	Dble. E.H.	53.160

7"

7.625	.301	Std.	23.570
	.500	E.H.	38.050
	.875	Dble. E.H.	63.080

8"

8.625	.109	5	9.914
	.148	10	13.400
	.188	—	16.940
	.250	20	22.360
	.277	30	24.700
	.322	40	28.550
	.406	60	35.640
	.500	80	43.390
	.593	100	50.870
	.718	120	60.630
	.812	140	67.760
	.906	160	74.690
	.875	Dble. E.H.	72.420

Nominal Pipe Size

O.D. (In.)	Wall	Schedule	Wt./Ft.
9"			
9.625	.342	Std.	33.900
	.500	E.H.	48.720

10"

10.750	.134	5	15.190
	.165	10	18.700
	.188	—	21.207
	.250	20	28.040
	.307	30	34.240
	.365	40	40.480
	.500	60	54.740
	.593	80	64.330
	.500	E.H.	54.740
	.718	100	76.930
	.843	120	89.200
	1.000	140	104.100
	1.125	160	115.700

11"

11.750	.375	Std.	45.550
	.500	E.H.	60.070

12"

12.750	.165	5	22.180
	.180	10	24.200
	.250	20	33.380
	.330	30	43.770
	.406	40	53.530
	.375	Std.	49.560
	.562	60	73.160
	.687	80	88.510
	.500	E.H.	65.420
	.843	100	107.200
	1.000	120	125.500
	1.125	140	139.700
	1.312	160	160.300

Nominal Pipe Size

O.D. (In.)	Wall	Schedule	Wt./Ft.
14"			
14.000	.250	10	36.710
	.312	20	45.680
	.375	30	54.570
	.437	40	63.370
	.375	Std.	54.570
	.593	60	84.910
	.750	80	106.100
	.500	E.H.	72.090
	.937	100	130.700
	1.093	120	150.700
1.250	140	170.200	
1.406	160	189.100	

16"

16.000	.250	10	42.050
	.312	20	52.360
	.375	30	62.580
	.500	40	82.770
	.375	Std.	62.580
	.656	60	107.500
	.843	80	136.500
	.500	E.H.	82.770



MEET THE SALES STAFF



Ext. 217

Shane Hammond

CEO

Executive Product Manager at BlackHawk Industrial Supply from 2020-2023; President/Owner at J&S Tool, Inc. from 1992-2020.

Email: shammond@aladdinsteel.com



Ext. 213

Steve Hittmeier

Sales Manager

Southern Illinois University.
Formerly employed by National Bank.

Email: steveh@aladdinsteel.com



Ext. 229

Lori Valerio

Account Manager

Formerly Administrative Secretary, Illini P.C.A.; Started at Aladdin in 1981; Assistant Credit Manager for eight years.

Email: loriv@aladdinsteel.com



Ext. 211

Chet Weidemann

Account Manager

Employed in operations at Aladdin Steel since 1994, moved to Scheduling Clerk in 1998; Promoted to Foreman in 2002; Joined the sales staff in October 2022.

Email: cweidemann@aladdinsteel.com

PH: 800-637-4455

FX: 217-839-3823



Ext. 264

Greg Ramey
Sales Lead

Started at Aladdin Steel in 1997 working in shipping and quality control for 7 years. Transferred to purchasing department in 2004; and then moved to the sales department in 2010.

Email: gregr@aladdinsteel.com



Ext. 252

Ray Kemezys
Account Manager

University of Illinois, Eastern Illinois University. Formerly employed by Tubular Steel and Omega Steel.

Email: rayk@aladdinsteel.com



Ext. 210

Jarrod Hamilton
Account Manager

Started at Aladdin Steel in 1999, moved up to lead man in 2003. Promoted to sales in 2015. Formerly employed at UPS.

Email: jhamilton@aladdinsteel.com



Ext. 249

Chris Gausepohl
Account Manager

SIUE (Bachelor's Degree in Communication - 1999 and Education - 2009). Formerly employed at Alton Catholic Children's Home. Joined Aladdin Steel in 2011.

Email: chrisg@aladdinsteel.com



Ext. 227

Brad Upton
Account Manager

Employed in operations at Aladdin Steel since 2015. Promoted to sales in April 2022.

Email: bupton@aladdinsteel.com

Website: www.aladdinsteel.com

Email: sales@aladdinsteel.com

ST. LOUIS OFFICE:

Ph: (888) 215-9337

Fax: (636) 273-6072



Ext. 301

Chris Cosentino

St. Louis Account Manager

Culver -Stockton College
(B.A. History/Political Science).
Formerly employed by Tubular Steel
and Bull Moose Tube Company.

Email: chrisc@aladdinsteel.com

CHICAGO OFFICE:

Ph: (888) 637-2954

Fax: (872) 268-8001



Ext. 213

Steve Hittmeier

Sales Manager

Southern Illinois University.
Formerly employed by National Bank.

Email: steveh@aladdinsteel.com

www.ALADDINSTEEL.com

Fraction, Decimal and Metric Equivalents

Fractional Inch	Dec. Equiv.	Millimeters	Fractional Inch	Dec. Equiv.	Millimeters
1/64	.0156	.397	33/64	.5156	13.097
1/32	.0313	.794	17/32	.5313	13.494
3/64	.0469	1.191	35/64	.5469	13.891
1/16	.0625	1.588	9/16	.5625	14.288
5/64	.0781	1.984	37/64	.5781	14.684
1/12	.0833	2.117	7/12	.5833	14.817
3/32	.0938	2.381	19/32	.5938	15.081
1/10	.1000	2.540	3/5	.6000	15.240
7/64	.1094	2.778	39/64	.6094	15.478
1/8	.1250	3.175	5/8	.6250	15.875
9/64	.1406	3.572	41/64	.6406	16.272
5/32	.1563	3.969	21/32	.6563	16.669
1/6	.1667	4.233	2/3	.6667	16.933
11/64	.1719	4.366	43/64	.6719	17.066
3/16	.1875	4.700	11/16	.6875	17.463
1/5	.2000	5.080	7/10	.7000	17.780
13/64	.2031	5.159	45/64	.7031	17.859
7/32	.2188	5.556	23/32	.7188	18.256
15/64	.2344	5.953	47/64	.7344	18.653
1/4	.2500	6.350	3/4	.7500	19.050
17/64	.2656	6.747	49/64	.7656	19.447
9/32	.2813	7.144	25/32	.7813	19.844
19/64	.2969	7.541	51/64	.7969	20.241
3/10	.3000	7.620	4/5	.8000	20.320
5/16	.3125	7.937	13/16	.8125	20.638
21/64	.3281	8.334	53/64	.8281	21.034
1/3	.3333	8.467	5/6	.8333	21.167
11/32	.3438	8.731	27/32	.8438	21.431
23/64	.3594	9.128	55/64	.8594	21.828
3/8	.3750	9.525	7/8	.8750	22.225
25/64	.3906	9.922	57/64	.8906	22.622
2/5	.4000	10.160	9/10	.9000	22.860
13/32	.4063	10.319	29/32	.9063	23.019
5/12	.4167	10.583	11/12	.9167	23.283
27/64	.4219	10.716	59/64	.9219	23.416
7/16	.4375	11.112	15/16	.9375	23.813
29/64	.4531	11.509	61/64	.9531	24.209
15/32	.4688	11.906	31/32	.9688	24.606
31/64	.4844	12.303	63/64	.9844	25.003
1/2	.5000	12.700	1	1.000	25.400

To convert a decimal to percentage, carry the decimal point two places to the right. Thus $\frac{63}{64}$, or .9844, equals 98.44%

Birmingham Wire Gauge (BWG) Equivalent

Gauge No.	Decimal Inches
0000	.454
000	.425
00	.380
0	.340
1	.300
2	.284
3	.259
4	.238
5	.220
6	.203
7	.180
8	.165
9	.148
10	.134
11	.120
12	.109
13	.095
14	.083
15	.072
16	.065
17	.058
18	.049
19	.042
20	.035
21	.032
22	.028
23	.025
24	.022
25	.020
26	.018
27	.016
28	.014
29	.013
30	.012
31	.010
32	.009
33	.008
34	.007
35	.005
36	.004

To Convert

- In. to Millimeters — multiply by 25.4
- Millimeters to In. — multiply by .03937
- Feet to Meters — multiply by .3048
- Meters to Feet — multiply by 3.281
- Yards to Meters — multiply by .9144
- Meters to Yards — multiply by 1.094
- Miles to Kilometers — multiply by 1.609
- Kilometers to Miles — multiply by .6214

Metric System

Metric Unit	Meters	Inches	Feet	Yards	Miles
Millimeter (mm)	.001	—	—	—	—
Centimeter (cm)	.01	.3937	—	—	—
Decimeter (dm)	.1	3.937	.3281	.1094	—
Meter (m)	1	39.37	3.281	1.094	—
Decameter (dkm)	10	393.7	32.81	10.94	—
Hectometer (hm)	100	3937	328.1	109.4	—
Kilometer (km)	1000	—	3281	1094	.6214

LENGTH — Basic unit is meter (m)

Aladdin Steel, LLC

Carbon Steel Tubing & Pipe

Aladdin Gives You the Edge!

With a wide assortment of cutting equipment

- Automatic cold saws
- Automatic deburring
- Band saws
- Swaging



All this equipment stands ready to process your next steel tubing or pipe order accurately and efficiently.

We can cut it...Let us prove it

Added Services:

Bundling
Shot Blasting
Samples - Available on Approval
Special or Protective Packaging


Shipping:

Transportation - Delivery arranged and expedited via common carrier or flatbeds



CUSTOM CUTTING

ALL ROADS LEAD TO YOU



We're Here to Serve
Your Steel Tubing Needs.
Call Us TOLL FREE
In The U.S. and Canada

Website: www.aladdinsteel.com
Email: sales@aladdinsteel.com

Your personal customer contact is:



18743 Route 16
Gillespie, Illinois 62033

STD
U.S. POSTAGE
PAID
Gillespie, IL 62033
Permit No. 67